

XN-Series Automated Haematology Analysers

# XN-1000 / 2000

Shaping Haematology



# Smart and Compact Automation

XN-Series provides a comprehensive test menu including all Sysmex's advanced parameters, regardless of test volume or laboratory settings. Combining the analyser modules' broad capabilities in customisable configurations, the needs of both routine and specialised haematology testing are met.

## The XN-Series comprise of 2 Analyser modules



**XN-10**



**XN-20\***

*\*White precursor cell (WPC) channel and Human Progenitor Cell (HPC) are available only in XN-20.*

## XN Standalone Series

### There are 2 standalone XN configurations:

- XN-1000 (1 analyser)
- XN-2000 (2 analysers)

Within its small footprint, the standalone series delivers vast operational capabilities and clinical flexibility. These capabilities can be optimised for laboratories with lower daily workloads and wide clinical needs.



### First step into full automation

**XN-1000**

- Hourly throughput of up to 100 samples
- Onboard decision rules with user-defined rerun/reflex capabilities
- Customisable clinical applications to cater to variable clinical needs




### Workload optimisation

**XN-2000**

- Hourly capacity of up to 200 samples per hour
- Unique co-primary solution
- Automatic workload balancing between the 2 analysers
- Reagent sharing option is available




# Core Technology of XN-Series

The XN series utilise the laser flow cytometry for counting of blood cells. Depending on the cellular characteristics of the cells, different intensities of the signals are collected, and scattergrams of respective measuring channels are populated. These scattergrams are used for the classification of the cells as well as flagging of the abnormal population.



## Advanced Parameters On XN-Series Provides Superior Diagnostic Values

### Standard applications




### The following advanced parameters are available as a standard:

- Corrected WBC with direct measurements of NRBCs for every CBC analysis
- 6 part differential, including immature granulocytes
- Highly specific flagging of WBC abnormal population in WPC channel, available only in XN-20 (Human progenitor cell, HPC enumeration is available on XN-20 with additional software activation)

\*WPC channel is available on XN-20 only

## Optional applications


### Body Fluid Scattergram




#### Added value:

Fully-automated body fluid analysis in BF mode:

- 2-part differential body fluid analysis includes MN (mononuclear) and PMN (polymorphonuclear) cell population to aid in the distinction between viral and bacterial infection.
- No additional reagents required.
- No special sample preparation required.



### RET Scattergram




#### Added value:

Indices of erythropoiesis (RET, Ret-He, IRF):

- Ret-He (reticulocytes hemoglobin) and IRF (immature reticulocytes fraction) aids in monitoring of RBC production.
- Ret-He (reticulocytes hemoglobin) aids in differentiation between functional and classical iron deficiency and monitoring of EPO and/or IV iron therapy.

### PLT-F Scattergram




#### Added value:

Indices of thrombopoiesis (IPF):

- IPF (Immature platelet fraction) aids in differential diagnosis of thrombocytopenic disorders and is an early predictor of platelet recovery.
- Fluorescent platelet (PLT-F) count that shows excellent correlation with CD61/41 alongside with thrombopoietic marker, immature platelet fraction (IPF).

### HPC Scattergram



#### Added value:

Accurate timing of peripheral blood stem cell transplant (PBSCT) harvest:

- High comparability between Human Progenitor Cells (HPC) measurement and CD34 analysis supports rapid analysis in determination of optimal PB stem cell collection.

# The Needs Of Tomorrow's Laboratory



## Optional applications



XN-Series partners your laboratory through the future. Clinical applications can be added to existing standalone configurations when the clinical needs evolved. On top of this, XN-1000 can also be upgraded to a XN-2000 when the workload of the laboratory increases. A common software throughout the XN-Series also minimises the need for re-training. XN-Series truly caters for today's and future needs of the laboratory.

XN-Series, the automated haematology solutions for your laboratories.

## Specifications

Principles & Technologies	
<b>Fluorescent Flow Cytometry</b>	WBC, Differential, NRBC, RET, IRF, PLT-F, IPF, HPC <sup>2</sup> , 2 part differential for body fluid analysis
<b>Hydrodynamic Focusing (DC Detection)</b>	PLT-I (Impedance), RBC, HCT
<b>Cyanide-free SLS Method</b>	Haemoglobin
30 Standard Parameters	
WBC, NRBC#, NRBC%, RBC, HGB, HCT, MCV, MCH, MCHC, RDW-SD, RDW-CV, MicroR, <sup>1</sup> MacroR, PLT, PDW, MPV, PCT, P-LCR, NEUT#, NEUT%, LYMPH#, LYMPH%, MONO#, MONO%, EOSIN#, EOSIN%, BASO#, BASO%, IG#, IG%	
16 Optional Parameters	
RET#, RET%, IRF, LRF, MFR, HFR, RET-He, RBC-He, Delta-He, HYPO-He, HYPER-He, PLT-O (Optical), PLT-F (Fluorescent), IPF#, IPF, HPC# <sup>2</sup>	
Blood Fluid Analysis	
<b>Sample Type</b>	CSF, CAPD, Synovial and Serous fluids
<b>7 Reportable Parameters</b>	WBC-BF, MN#, MN%, PMN#, PMN%, TC-BF#, RBC-BF

Throughput (Whole Blood)	
<b>XN-1000</b>	up to 100 samples/hour (max.)
<b>XN-2000</b>	up to 200 samples/hour (max.)
Sample Aspiration Volumes	
<b>Whole Blood</b>	88µL
<b>Pre-dilute Mode</b>	20µL
<b>Body Fluid Mode</b>	88µL
<b>HPC Mode</b>	190µL
Quality Control	
Tri-level QC material for all parameters Bi-level Body fluid QC materials	

Note:

1. MicroR, MarcoR, RBC-He, Delta-He, HYPO-He, HYPER-He are reportable from software version 21.00 onwards.
2. HPC# is available only for XN-20.

# References

1. Fleming C, Russcher H, Lindemans J, De Jonge R. Clinical relevance and contemporary methods for counting blood cells in body fluids suspected of inflammatory disease. Vol. 53, *Clinical Chemistry and Laboratory Medicine*. 2015. p. 1689-706.
2. Seghezzi M, Buoro S, Manenti B, Mecca T, Ferrari R, Zappalà G, et al. Optimization of Cellular analysis of Synovial Fluids by optical microscopy and automated count using the Sysmex XN Body Fluid Mode. *Clin Chim Acta*. 2016;462:41-8.
3. Weimann A, Cremer M, Hernáiz-Driever P, Zimmermann M. Delta-He, Ret-He and a new diagnostic plot for differential diagnosis and therapy monitoring of patients suffering from various disease-specific types of anemia. *Clin Lab*. 2016;62(4):667-77.
4. Dadu T, Sehgal K, Joshi M, Khodajji S. Evaluation of the immature platelet fraction as an indicator of platelet recovery in dengue patients. *Int J Lab Hematol*. 2014;36(5):499-504.
5. Sakuragi M, Hayashi S, Maruyama M, Kabutomori O, Kiyokawa T, Nagamine K, et al. Clinical significance of IPF% or RP% measurement in distinguishing primary immune thrombocytopenia from aplastic thrombocytopenic disorders. *Int J Hematol*. 2015;101(4):369-75.
6. van der Linden N, Klinkenberg LJJ, Meex SJR, Beckers EAM, de Wit NCJ, Prinzen L. Immature platelet fraction measured on the Sysmex XN hemocytometer predicts thrombopoietic recovery after autologous stem cell transplantation. *Eur J Haematol*. 2014;93(2):150-6.
7. Schoorl M, Schoorl M, Oomes J, Van Pelt J. New fluorescent method (PLT-F) on Sysmex XN2000 haematology analyser achieved higher accuracy in low platelet counting. *Am J Clin Pathol*. 2013; 140(4):495-9
8. Peerschke EI, Moug C, Pessin MS, Maslak P. Evaluation of new automated hematopoietic progenitor cell analysis in the clinical management of peripheral blood stem cell collections. *Transfusion*. 2015 55(8): 2001-2009. doi:10.1111/trf.13078

Registered under Act 737  
Registration No: IVDB17531114618

#### **Sysmex Asia Pacific Pte Ltd**

Tel +65 6221-3629 Fax +65 6221-3687  
[www.sysmex-ap.com](http://www.sysmex-ap.com)

#### **PT Sysmex Indonesia**

Tel +62 (21) 3002-6688 Fax +62 (21) 3002-6699  
[www.sysmex.co.id](http://www.sysmex.co.id)

#### **Sysmex India Pvt. Ltd**

Tel +91 (22) 6112-6666 Fax +91 (22) 2577-6790  
[www.sysmex.co.in](http://www.sysmex.co.in)

#### **Sysmex (Malaysia) Sdn Bhd**

Tel +60 (3) 5637-1788 Fax +60 (3) 5637-1688  
[www.sysmex.com.my](http://www.sysmex.com.my)

#### **Sysmex (Thailand) Co., Ltd**

Tel +66 (2) 032-2536 Fax +66 (2) 116-5396  
[www.sysmex.co.th](http://www.sysmex.co.th)

#### **Sysmex Philippines Inc.**

Tel +63 (2) 621-2460 Fax +63 (2) 621-2432  
[www.sysmex.com.ph](http://www.sysmex.com.ph)

#### **Sysmex New Zealand Ltd**

Tel +64 (9) 630-3554  
[www.sysmex.co.nz](http://www.sysmex.co.nz)

#### **Sysmex Vietnam Co., Ltd**

Tel +84 (8) 3997-9400 Fax +84 (8) 3997-9405  
[www.sysmex.com.vn](http://www.sysmex.com.vn)

#### **Sysmex Vietnam Co., Ltd (Hanoi Branch)**

Tel +84 (4) 3776-7020 Fax +84 (4) 3776-7022  
[www.sysmex.com.vn](http://www.sysmex.com.vn)

#### **Sysmex Australia Pty Ltd**

Tel +61 (2) 9016-3040  
[www.sysmex.com.au](http://www.sysmex.com.au)